

Animal protocols

The Standard FAITH Animal Protocol

The standard FAITH™ formula is administered or taken a maximum of three times per day and each dose does NOT EXCEED more than 1 drop per 10kg of body weight per dose. This formula can be administered to the animal orally or anally. For VERY extreme cases, all three protocols can be combined and used together.

Illness	Faith Drops	Activator	Water	Duration	Oral & Anal Protocol
CANCER PARASITES VIRUSES GENERAL HEALTH <u>NOT FOR BIRDS</u>	1 drop per 10kg of body weight	1 drop per 10kg of body weight	20cc for small domestic and farm animals up to 30kg. For larger animals do not exceed 230cc of sterile water as a transport medium	3 x Daily until clear	Mix Faith Drops and activator together in a glass. Set the timer and wait three (3) minutes. After three minutes, add water to the activated FAITH mixture. Use either a small needled syringe or an enema pump depending on the size of the animal and the volume of liquid to be administered. Administer this solution IMMEDIATELY. Do not mix and store for more than 5minutes.

Illness	Faith Drops	Activator	DmsO	Water	Duration	Transdermal Protocol
CANCER PARASITES VIRUSES GENERAL HEALTH <u>NOT FOR BIRDS</u>	1drop per 10kg of body weight	1drop per 10kg of body weight	3.75cc (3.75ml) per 10kg of body weight	20cc for small domestic and farm animals up to 30kg For larger animals do not exceed 230cc of sterile water as a transport medium	3 x Daily until clear	According to body weight mix together the following: Faith drops & activator. Set the timer & wait three (3) minutes. Then add the dmsO (dimethyl sulfoxide) into the activated faith drops and allow to stand for a further 3 minutes. Add prescribed amount of water to the activated faith drops and dmsO mixture in the glass. Smooth onto skin – stomach, inside of the top of the ear or anywhere there is no fur or using your fingers. Do not use rubber gloves. Do not go near the eyes or pour into the ears.

An example of the mix ratio is approximately : 1 cup of water to ½ cup of DMSO for a 300kg cow

ILLNESS	FAITH	ACTIVATOR	WATER	DURATION	INTRAVENOUS
---------	-------	-----------	-------	----------	-------------

	DROPS				PROTOCOL
CANCER PARASITES VIRUSES GENERAL HEALTH NOT FOR BIRDS	1 drop for every 10kg of body weight	NIL (Do not activate the Faith Drops if you are administering intravenously)	20cc of sterile water	3 x Daily until clear	Add unactivated Faith drops to water. Siphon the mixture into a syringe and administer intravenously as per normal.

The Standard FAITH Bird Protocol

ILLNESS	FAITH DROPS	ACTIVATOR	WATER	CRYSTALS	DURATION	ORAL PROTOCOL
FOR BIRDS FOR GENERAL HEALTH	15ml	NIL	20 Liters	1 teaspoon (5ml)	1 x Daily for 3 days or until clear	Mix water with prescribed amount of FAITH drops. Add to this Potasium Permanganate (Kondys Crystal). Mix solution well, making sure crystals are dissolved. Use this solution as their daily drinking water. This solution will last approximately one month depending on the number of birds on hand.

ILLNESS	FAITH DROPS	ACTIVATOR	WATER	DURATION	ORAL PROTOCOL
BIRD PROTOCOL ONLY: FOR EXTREME CASES	10 DROPS	10 DROPS	500ml	1 x Daily for 3 days or until clear	Mix prescribed amount of FAITH drops AND ACTIVATOR together. Wait 3 minutes. Add water and blend well. Using a syringe draw up 1cc of this solution for every 1kg of body weight. Squirt carefully into the bird's beak, allowing the bird to swallow. DO NOT EXCEED THIS DOSE