



FAITH THERAPY OCC TRANSDERMAL PROTOCOLS

METHOD 5: Transdermal	mix ratio of drops to activator: 1:1
Dosage:	Method:
Activate 20 FAITH™ Drops with 20 drops of Activator in a glass bowl. <i>(Dosage of 20 drops for 50kgs or more body weight – all dosages of this mixing protocol would be halved for someone with body weight under 50kgs, children are calculated individually)</i> Wait prescribed 3 minutes activation period. Add ¾ teaspoon DMSO (3.75cc / 3.75ml) to the activated drops. Wait 3 minutes for DMSO to bind to Faith ion Add 5cc (1teaspoon) water to the already mixed solution.	Transdermal (Apply as per the OCC Protocol by dabbing onto the skin)
Effect:	
This method allows the DMSO to transport the ion and compounds directly into the nucleus of every cell in the body, sterilising the system and enabling cellular repair and detox.	
Frequency:	
This protocol is followed for 8 days based upon the protocol roster. If illness still persists, repeat treatment for a further 21 days or as advised by your HCP.	

PLEASE NOTE: children and the elderly might be more sensitive to the transdermal protocol due to the thickness of the dermis. If skin becomes irritated, add more water to the Faith/DMSO mix before applying to the skin.

How to prepare one application of DMSO and FAITH™ Drops: For transdermal use in the any FAITH™ Transdermal Treatment / Protocol.

1. Place the prescribed number of drops of FAITH™ Drops and an equal number of the Activator into a small **glass** bowl. Always make use of glass – never plastic.
2. Allow to activate for 3 minutes.
3. Add to this solution a ¾ teaspoon (3.75ml) of DMSO. Gently stir using a metal / silver teaspoon, never plastic.
4. Allow solution to activate for a further 3 minutes.
5. Add to this solution ½ (2,5ml) teaspoon – 1 (5ml) teaspoon of water.

Applying the DMSO application transdermally

1. When the mixture is ready as per the 5 step directions above, you pat/stroke the entire solution onto the skin (*do not rub in*).
2. Spread the solution thinly over the designated area for that session. This will allow it to penetrate faster and be less irritating to the skin.
3. Do not put the transdermal solution directly onto open lesions.
4. If is very important to rotate where you put the mixture on the skin. This rotation will allow the skin to recover from the DMSO pulling the FAITH™ Drops through the skin. Example:
 - First application can be patted onto the arms;
 - Second application onto the chest and stomach;
 - Third application to the thighs;
 - Fourth application the calves and feet;
 - Then back to arms – and so on. One can also apply to the back.

- After 3 – 5 minutes, (or earlier if the skin starts to itch), gently wipe the area with a wet/damp, clean wash cloth, after which 1 teaspoon of MSM Water will be patted to the same area that has been wiped. MSM, a derivative of DMSO and natural anti-inflammatory, which also protects the epithelial cells, will not bind to other molecules like DMSO or carry them through the skin

Please note that latex gloves, rubber gloves or any other kind of gloves should NOT be used to spread any mixture containing DMSO. The DMSO can pull the ions in these gloves through the skin. Always use bare hands with NO nail varnish to apply the mixture.

The FAITH OCC Protocol can consist of several simultaneous interventions (the interventions are recommended at the discretion of the qualified Healthcare Practitioner).

- Oral doses of FAITH Drops
- Transdermal application of FAITH Drops, DMSO & MSM Water

And depending upon the type of cancer.....

- Steaming, rectal, vaginal and / or topical protocols
- Intravenous Drip administration (**Reserved for Medical practitioners only**)
- Oral doses of FAITH Booster and/or Faith Probiotic
- Oral administration of FAITH Enzyme Capsules
- Use the tables below purely as an example with regard to the number of drops to be used and the frequency.

It is our recommendation that all protocols be administered simultaneously to ensure best and fastest results, as time is often of the essence for most cancer patients.

Oral dosage cancer treatment – adults – example

DAY	FAITH + ACTIVATOR 1:1	Frequency
Duration of Protocol	3 activated FAITH Drops	4 times daily
Maintenance	3 activated FAITH Drops	3 times daily
Continue with oral protocol until tests confirm cancer markers are clear.		

Children must be individually assessed for body size, weight, age and severity of illness before proceeding. Follow advice of paediatrician / Healthcare practitioner.

Example of an Oral Dosage with DMSO for Adults

DAY	FREQUENCY	DROPS + ACTIVATOR	DMSO	MIXER
1-21	4 x daily	3 drops / 3 drops	3 drops DMSO added to activated Faith solution	175ml to 250ml tea or juice
This oral protocol may be adapted at the discretion of the HCP only.				

The FAITH OCC Protocol is performed in two phases

Phase one: the pre-OCC treatment

Transdermal application of FAITH™ Drops + DMSO Solution:

- This is the first day of the 8 day schedule.
- On this day you apply only four applications of FAITH™ Drops + DMSO.
- Each FAITH™ Drops + DMSO application is an hour apart.
- Each FAITH™ Drops + DMSO application constitutes the entire content of the bowl the solution is mixed in.
- After each FAITH™ Drops + DMSO application has been wiped off, you will apply one application of MSM water.
- Each MSM application is: 1 teaspoon / 5ml / 5cc.

This pre-OCC is important. The purpose of Phase One is to kill the microbes in the bloodstream. If you do not do this, some of the FAITH™ Drops / DMSO in Phase Two, the actual OCC, will be diverted to kill microbes in the bloodstream. The goal of Phase Two is to kill the microbes INSIDE the cancer cells to revert the cancer cells back into normal cells.

Phase two: the main OCC treatment

Transdermal application of FAITH™ Drops + DMSO Solution:

- The actual OCC (i.e. Phase Two) consists of 13 applications of FAITH™ Drops + DMSO solution.
- Each FAITH™ Drops + DMSO application is an hour apart.
- Each FAITH™ Drops + DMSO application constitutes the entire content of the bowl the solution is mixed in.
- After each FAITH™ Drops + DMSO application has been wiped off, you will apply one application of MSM water.
- Each MSM application is: 1 teaspoon / 5ml / 5cc.

What the full OCC Protocol schedule looks like:

- One Full OCC Protocol Schedule is comprised of 8 days.
- Be guided by your Personal Protocol Sheet.
- The schedule below may be repeated after having consulted your healthcare practitioner.

Day	Protocol	No. of Applications	Time	Comments
1	Phase 1 - Pre-OCC Protocol	4	17h00 to 20h00	Evening only. May start one hour earlier. Start on the hour. Continue treatment for 4 hours, ending after applying the teaspoon MSM water. Eat a well-balanced healthy diet to nourish non-cancerous cells
2	Phase 2 – Full OCC Protocol	13	07h00 to 19h00	May start one hour earlier. Start on the hour. Continue treatment for 13 hours, ending after applying the tsp MSM water. Eat a well-balanced healthy diet to nourish non-cancerous cells
3	REST DAY FOR THE SKIN & CELLS	nil	-	On this day you do not do any transdermal applications. You rest, eat a well-balanced healthy diet to nourish non-cancerous cells and you continue with Oral FAITH Drops and other additional protocols given.
4	Repeat Phase 1 Pre-OCC Protocol	4	17h00 to 20h00	Evening only. May start one hour earlier. Continue treatment for 4 hours applying the tsp MSM water. Start on the hour. Eat a well-balanced healthy diet to nourish non-cancerous cells
5	Repeat Phase 2 – Full OCC Protocol	13	07h00 to 19h00	Start on the hour. Continue treatment for 13 hours, ending after applying the tsp MSM water. Eat a well-balanced healthy diet to nourish non-cancerous cells
6	REST DAY FOR THE SKIN & CELLS	Nil	-	On this day you do not do any transdermal applications. You rest, eat a well-balanced healthy diet to nourish non-cancerous cells and you continue with Oral FAITH Drops and other additional protocols given.
7	Repeat Phase 1 - Pre-OCC Protocol	4	07h00 to 19h00	Evening only. May start one hour earlier. Start on the hour. Continue treatment for 4 hours, ending after applying the tsp MSM water. Eat a well-balanced healthy diet to nourish non-cancerous cells
8	Repeat Phase 2 – Full OCC Protocol	13	17h00 to 20h00	May start one hour earlier. Start on the hour. Continue treatment for 13 hours, ending after applying the tsp MSM water. Eat a well-balanced healthy diet to nourish non-cancerous cells

It doesn't matter what time of the day you take the actual treatment. That is up to you, but from beginning to end it is 13 complete hours.

As mentioned above, the intent of this treatment is to kill every MICROBE, inside every cancer cell. Any cancer cell which has all of its microbes killed will, in about a week, revert into a normal cell.

As a final comment, this treatment may cause bad breath as a result of the garlic like odour of the DMSO.

Once an 8 day program has been completed, the protocol and your physical responses to the treatment are re-assessed and adapted accordingly

THE FAITH MINI OCC

In some instances there is no necessity to perform a Full OCC Protocol again. In this instance (which is left to the discretion of the Healthcare Practitioner) follow the instructions for a FAITH MINI OCC.

Transdermal Application Quantities for FAITH MINI OCC Protocol

DAY	FAITH + ACTIVATOR	DMSO	WATER	FREQUENCY
1 to 30	20 drops / 20 drops	¾ teaspoon	1 teaspoon	4 times daily, 2 days on, 1 day off
The FAITH MINI OCC is performed between two to four times a day – at the Healthcare Practitioners discretion. The treatment applications continue for as long as the HCP sees an improvement. No changes should be made by the client/patient unless discussed with the HCP first.				

What to expect from this treatment

The objective of this treatment is to reverse cancer cells into normal cells.

If this is what happens, this is what you can expect from this treatment:

1. Reverting cancer cells into normal cells WILL NOT shrink tumours. If the cancer cells are removed from the tumour by this treatment, the body should eventually get rid of any tumours, but it does not always happen quickly.
2. The OCC has been said to reduce the pain of cancer. Pain caused by tumours pressing against some other part of the body may not be immediately affected by this treatment.
3. A cancer patient who has very low energy levels can expect an increase in energy within a couple of weeks. As cancer cells are reverted into normal cells the non-cancerous cells get a boost of energy because the cancer cells are no longer stealing glucose and nutrients from the non-cancerous cells.
4. The OCC has been recorded to stop the spread of cancer. This may not be obvious initially; but without any cancer cells, there is no reason for the cancer to spread. This, of course, is more important for fast-spreading cancers.
5. Swelling and inflammation should also be reduced by this treatment within a few weeks. However, this will depend on what is causing the swelling and inflammation.
6. The success of this treatment (and any other) is influenced by lifestyle and diet and it is important to support the process by eating raw foods rich in (proteolytic/pancreatic) enzymes, which helps to break down tumors.

Always remember to address the cause of the cancer as part of the healing process

OCC Protocol application time guide

N^o ____

Date / /

4 hour protocol

APPLICATION N ^o	TIME	AREA COVERED	WHAT TO TAKE
1	:00		One application
1	:05		MSM water ONLY
2	:00		One application
2	:05		MSM water ONLY
3	:00		One application
3	:05		MSM water ONLY
4	:00		One application
4	:05		MSM water ONLY

13 hour protocol

APPLICATION NO	TIME	AREA COVERED	WHAT TO TAKE
1	:00		One application
1	:05		MSM water ONLY
2	:00		One application
2	:05		MSM water ONLY
3	:00		One application
3	:05		MSM water ONLY
4	:00		One application
4	:05		MSM water ONLY
5	:00		One application
5	:05		MSM water ONLY
6	:00		One application
6	:05		MSM water ONLY
7	:00		One application
7	:05		MSM water ONLY
8	:00		One application
8	:05		MSM water ONLY
9	:00		One application
9	:05		MSM water ONLY
10	:00		One application
10	:05		MSM water ONLY
11	:00		One application
11	:05		MSM water ONLY
12	:00		One application
12	:05		MSM water ONLY
13	:00		One application
13	:05	Treatment Complete	MSM water not required